


BB-102-1

Dimensions: 11 x165 x8.5mm


- 1 Distribution Strip
- 100 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-102

Dimensions: 56 x165 x8.5mm


- 1 Terminal Strip, 630 Tie-point*
- 2 Distribution Strips, 200 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-102-2


Dimensions: 37 x165 x8.5mm

- 1 Terminal Strip
- 630 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-102B


- 1 Terminal Strip, 630 Tie-point
- 2 Distribution Strips, 200 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-102-3


Dimensions: 48 x165 x8.5mm

- 1 Terminal Strip, 630 Tie-point
- 1 Distribution Strips, 100 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




BB-2T1D

- 2 Terminal Strips, 1260 Tie-point
- 1 Distribution Strip, 100 Tie-point
- 2 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




BB-2T3D

- 2 Terminal Strip, 1260 Tie-point
- 3 Distribution Strips, 300 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




BB-4T7D

- 4 Terminal Strips, 2520 Tie-point
- 7 Distribution Strips, 700 Tie-point
- 4 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-2T4D


- 2 Terminal Strips, 1260 Tie-point
- 4 Distribution Strips, 400 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-01-1


Dimensions: 15 x 171 x 8.5mm

- 1 Distribution Strip
- 100 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-3T5D

- 3 Terminal Strips, 1890 Tie-point
- 5 Distribution Strips, 500 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




BB-01-02

Dimensions: 41.5 x 174 x 8.5mm

- 1 Terminal Strip
- 640 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)


www.cnglobaltone.com



13 BB-01-3


Dimensions: 56,5 x 174 x 8,5mm

- 1 Terminal Strip, 640 Tie-point
- 1 Distribution Strip, 100 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



16 BB-2T1D-01


- 2 Terminal Strips, 1280 Tie-point
- 1 Distribution Strip, 100 Tie-point
- 2 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



14 BB-01


Dimensions: 66 x 174 x 8,5mm

- 1 Terminal Strip, 640 Tie-point
- 2 Distribution Strips, 200 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips




17 BB-2T3D-01

- 2 Terminal Strips, 1280 Tie-point
- 3 Distribution Strips, 300 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




15 BB-01B

- 1 Terminal Strip, 640 Tie-point
- 2 Distribution Strips, 200 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




18 BB-2T4D-01

- 2 Terminal Strips, 1280 Tie-point
- 4 Distribution Strips, 400 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




19 BB-3T5D-01

- 3 Terminal Strips, 1920 Tie-point
- 5 Distribution Strips, 500 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




22 BB-303

- 3 Terminal Strips, 810 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




21 BB-4T/D-01

- 4 Terminal Strips, 2560 Tie-point
- 7 Distribution Strips, 700 Tie-point
- 4 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




23 BB-304

- 4 Terminal Strips, 1080 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




21 BB-301

- Dimensions: 84 x 46 x 8.5mm
- 270 Tie-point
 - ABS plastic material
 - Completely reusable
 - Coloured coordinates for easy component placement
 - Phosphor bronze nickel plated spring clips
 - Accepts a variety of wire sizes (20-29 AWG)



24 BB-306

- 4 Terminal Strips, 1620 Tie-point
- 4 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-601

Dimensions: 45 x34.5 x9.5mm


- 170 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-701

Dimensions: 145 x46 x8.5mm


- 550 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-801-1

Dimensions: 82 x4 x8.5mm


- 1 Distribution Strip, 50 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-801-2

Dimensions: 82 x35 x8.5mm


- 1 Terminal Strip, 300 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-801

Dimensions: 82 x53 x8.5mm


- 1 Terminal Strip, 300 Tie-point
- 2 Distribution strips, 100 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BB-8023


Dimensions: 82 x106 x8.5mm

- 2 Terminal Strip, 600 Tie-point
- 3 Distribution strips, 150 Tie-point
- ABS plastic material
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




51 BB-8034

- 1 Terminal Strip, 300 Tie-point
- 2 Distribution strips, 100 Tie-point
- ABS plastic material
- 3 Binding Posts
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




52 BB-8046

- 4 Terminal Strips, 1200 Tie-point
- 6 Distribution strips, 300 Tie-point
- 3 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




53 BB-8068

- 6 Terminal Strips, 1800 Tie-point
- 8 Distribution strips, 800 Tie-point
- 4 Binding Posts
- ABS plastic material
- Black aluminum plate
- Completely reusable
- Coloured coordinates for easy component placement
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)




54 SYB-46

- Dimensions: 90 x52 x8.5 mm
- 270 Tie-point
 - ABS plastic material
 - Completely reusable
 - Phosphor bronze nickel plated spring clips
 - Accepts a variety of wire sizes (20-29 AWG)




55 SYB-118

- Dimensions: 176 x46 x8.5 mm
- 690 Tie-point
 - ABS plastic material
 - Completely reusable
 - Phosphor bronze nickel plated spring clips
 - Accepts a variety of wire sizes (20-29 AWG)



56 BB-120


- Dimensions: 176 x46 x8.5mm
- 700 Tie-point
 - ABS plastic material
 - Completely reusable
 - Phosphor bronze nickel plated spring clips
 - Accepts a variety of wire sizes (20-29 AWG)



BB-130

Dimensions: 188 x46 x8.5mm


- 750 Tie-point
- ABS plastic material
- Completely reusable
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



BBPCB-1510

Size:15 x10mm


Perfect suitable for circuit solder in prototyping design and making
Customing size depend on requirement.



BBPCB-2115


Size:21 x15mm

Perfect suitable for circuit solder in prototyping design and making
Customing size depend on requirement.




SYB-800

- 4300 Tie-point
- 2 switch
- ABS plastic material
- Green plastic plate
- Completely reusable
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



SYB-500

- 2900 Tie-point
- 2 switch
- ABS plastic material
- Green plastic plate
- Completely reusable
- Phosphor bronze nickel plated spring clips
- Accepts a variety of wire sizes (20-29 AWG)



42 BBJ-140

140 pcs of 22 AWG solid wires
Pre-cut, Pre Stripped and Pre-formed on each end.
Variety colors
Completely Reusable
14 lengths x 25pcs each

(2,5,7,10,12,15,17,20,22,25,50,75,100 and 125mm)



43 BBJ-350

350pcs of 22 AWG solid wires
Pre-cut, Pre Stripped and Pre-formed on each end.
Variety colors
Completely Reusable
14 lengths x 25pcs each

(2,5,7,10,12,15,17,20,22,25,50,75,100 and 125mm)

www.cnglobaltone.com

Changzhou Globaltone Int'l Trade Co., Ltd.

217 Huangshan Road, Changzhou, Jiangsu, China

Tel: 86-519-85155071, 85155073, Fax: 86-85155075

Email: samuel@cnglobaltone.com

MSN: samuel_chee@hotmail.com

Skype: cnglobaltone

<http://www.cnglobaltone.com>